



TL43-W LED

Wall or corner mounted light with LED



Description

Glamox TL43-W is an easy, efficient family of luminaires displaying classic style.

TL43-W is an slim wall or corner-mounted luminaire supplied with uplight for mounting low on walls or with no uplight for mounting in the corner of wall and ceiling or under cabinets. The luminaire provides an excellent diffusion in corridors and with efficient lighting of floor spaces. They are designed to meet maritime requirements.

TL43-W luminaires with their minimalistic and timeless design are easy to install. Their efficient lighting give good glare control. The luminaires are delivered as standard in white painted steel with synthetic end caps. Diffuser is made of opal polycarbonate.

Technical specifications

Housing

Steel housing powder coated white RAL 9016 with plastic end caps.

Lightsource/Optic

Diffuser is made of opal polycarbonate.

Electrical specification

LED, two holes at the back and two knockouts at upper side for cable entry.

Mounting


To be mounted direct to the wall or in the corner.

Battery





3 cells NI-MH 3,6V-2,0Ah



Illustrations



| Type | L | C |
|-----------------|------|------|
| TL43-W 114 | 574 | 490 |
| TL43-W 114E | 874 | 790 |
| TL43-W 128 | 1174 | 1090 |
| TL43-W 135/149 | 1474 | 1390 |
| TL43-W 574 LED | 574 | 490 |
| TL43-W 1174 LED | 1174 | 1090 |
| TL43-W 1474 LED | 1474 | 1390 |





Images

