



Series 70

Navigation lights



Description

The Series 70 Navigation lights are applicable for all vessels ≥ 20 m in length. The Navigation lights fulfil all requirements of International Regulations for Preventing Collisions at Sea 1972 (COLREG) are published by the International Maritime Organization (IMO) and local rules.

The high quality Series 70 are virtually unbreakable and extremely reliable. Their nonmagnetic and seawater resistant polycarbonate housing is self-ventilated and the special tungsten bulb can be changed easily.

Technical specifications

Application

For all vessels ≥ 20 m in length

Approvals

a) International according to IMO Colreg 1972, in Scandinavian countries in particular see list of approvals b) US-Coastguard. These lights may only be used on ships flying the flags of the USA.

Finish

Mat black

Optic

Seawater resistant, special plastic Fresnel lens 3 nm, masthead light 6 nm, manoeuvre 5 nm

Light Source

Bulb has to be ordered separately. Easy to change special tungsten bulb

Housing

Polycarbonate, glass fibre reinforced, other components of non-corrosive materials. Housing self-ventilated. Nonmagnetic, seawater resistant.

Electrical specification

Conus inclusive 1.5 m special connection cable $2 \times 1.5 \text{ mm}^2$, selfprotective insulation, class II



Mounting

Base flange attachment with 4 screws (not included). Allround lights may also be hoisted. Additional mounting aids see drawing.



Authorized Distributor:
Pacific Marine & Industrial
www.pacificmarine.net
info@pacificmarine.net

Illustrations



Authorized Distributor:
Pacific Marine & Industrial
www.pacificmarine.net
info@pacificmarine.net

Images



Authorized Distributor:
Pacific Marine & Industrial
www.pacificmarine.net
info@pacificmarine.net