

DL40-R70F



Description

DL40 is the ideal choice when you want to use the lighting to create a warm and luxurious atmosphere. The low profile and compact design also simplify installation and reduces the need for space above ceiling. When aesthetics matter DL40 has a light but robust aluminium housing, which is available in three different finishes: white, chrome and brass. The ability to produce decorative illumination combined with the clean, elegant design, makes DL40 ideal for applications such as public areas, cabins and passenger areas on cruise ships.

Technical specifications

Design

According to marine requirements

Housing

Solid die casted aluminum with integrated trim

Colour

White painted (RAL 9016), chrome or gold anodized

Tiltable

No

Cut out

Ø70 or Ø65 mm

Light Source

LED

Driver

Integrated, on/off (HF), dimmable DALI-B

Light output

From 315 to 551 lm with 5 or 7W. For precise lumen values please find product information on our website, www.glamox.com/gmo







Connection


Cable with quick connector (Wago, Ensto or Wieland) or cable with connection box that has push in terminal block.



Illustrations



Authorized Distributor:
Pacific Marine & Industrial
www.pacificmarine.net
info@pacificmarine.net



Images



Authorized Distributor:
Pacific Marine & Industrial
www.pacificmarine.net
info@pacificmarine.net



Authorized Distributor:
Pacific Marine & Industrial
www.pacificmarine.net
info@pacificmarine.net