



Authorized Distributor: Pacific Marine & Industrial www.pacificmarine.net info@pacificmarine.net

# AL46 Aqua Led Strips





## Description

AL46 Family have three members, FL for indoor IP00, Aqua and Atlantis for indoor and outdoor IP66/67.

## AL46 Aqua - a flexible, waterproof (IP66/67) Led strip designed for use in marine applications with high light quality and efficiency.

AL46 Aqua can be used on vessels as rail lighting, step lighting, and in many other decorative lighting applications.

Aqua offers;

- light output from 200Im upto 1.500Im per meter
- 56 or 112 led per meter depending on needed visual
- Clear of Opal encapsulation
- different color temperatures (K) and CRI 80 & 90.

We provide the Aqua in tailor made lenghts, complete equipped with marine approved connection cable (1,3 or 5m)

\*(lenght of strip to be dividable by step, note also max lengths of single strips upto 10.000mm) AQUA is also possible to cut on site and sealing kit's are available.

AQUA have visible led dots. ATLANTIS is completely homogenous light, no dots can be seen.

Mounting, AL46 AQUA PC Profile (2m profiles) or customer provided mounting.

Drivers, to be ordered separately, see AL46 OT (Osram)

Please contact your local sales representative for more details

## **Technical specifications**

#### Application

Decorative lighting installations Indoors and outdoors According to maritime requirements

#### Approvals

Declaration of Conformity IEC 600092-306, 60598-1

#### Housing

Thermoplastic Poyurethane Elastomers (TPU), does not attract dust or dirt, is easy to clean and is fully UV resistant, as well as salt and solvent proof

#### **Technical specification**

24VDC Clear TPU (Opal on request) 2,0W/M =  $\sim$ 320lm/m  $\rightarrow$  MAX 5m Strips 4,8W/M =  $\sim$ 650lm/m  $\rightarrow$  MAX 5m Strips 9,6W/M =  $\sim$ 1300lm/m  $\rightarrow$  MAX 5m Strips Can be equpped with 3 or 5m marine grade cable with horisontal entry. Other configurations on request.



Optic Opal or Clear TPU, visible led dots

Electrical specification Separate Driver needed, 24 V DC SELV

### Light Source

LED PCB >100Im/W, strip output depends on TPU (clear or opal) MacAdams 3 CRI 80+ or 90+ (white light strips)

### Mounting

Can be clicked into separately ordered PC profile suitable indoor and outdoor




Authorized Distributor: Pacific Marine & Industrial www.pacificmarine.net info@pacificmarine.net





Authorized Distributor: Pacific Marine & Industrial www.pacificmarine.net info@pacificmarine.net

### Illustrations



#### Mounting kit basic Disp Adapter 50ml Disp Gun 02 Aqua EC clear Mixer 05-24 5pcs

2K PU EC sealant 50ml

Adapter 50ml 1:1, for standard silicon pistol Dispenser gun standard silicon pistol End cap clear 10 unit Static mixer, 5 pcs Fast drying sealant for Aqua endcaps

Disp Adapter 50ml	Adapter 50ml 1:1, for standard silicon pistol
Disp Gun 02	Dispenser gun standard silicon pistol
Aqua EC clear	End cap clear
Mixer 05-24 Spcs	Static milver, 5 pcs
2K PU EC sealant 50ml	Fast drying sealant for Aqua endcaps

Mounting kit professional		
Disp Gun 50ml	Dispenser gun 50ml 1:1, professional, 1 unit	
Aqua EC clear	End cap clear 20units	
2K PU EC sealant 50ml	Fast drying sealant for Aqua endcaps	
Mixer 05-24 5pcs	Static mixer, 10 pcs	
Aqua Mould set	Sealing mould for joints and wires, 3pcs	
Disp Gun 50ml	Dispenser gun 50ml 1:1, professional	T
Aqua EC clear	End cap clear	
2K PU EC sealant 50ml	Fast drying scalars for Aqua endcaps	
Mixer 05-24 Spcs	Static mixer, 5 pcs	
Aqua Mould set	Sealing mould for joints and wires, 3pcs	IIII



## Images



Authorized Distributor: Pacific Marine & Industrial www.pacificmarine.net info@pacificmarine.net

